Environmental Consultants

3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806-6816

562 426-9544
FAX 562 492-6210
www.scsfieldservices.com

SCS FIELD SERVICES

JOB FILE

October 24, 2006
File No. 07189003.00

Mr. Dan Zeller
Vulcan
3200 San Fernando Road
Los Angeles, California 90065

Subject: Executive Summary Regarding Operation, Monitoring, and Maintenance of the Landfill Gas (LFG) Migration Control Facilities, Hewitt Pit Sanitary Landfill, North Hollywood, California

Dear Mr. Zeller:

The following is an executive summary of major events and site conditions observed during the reporting period of September 1 through 30, 2006. This summary has been prepared at your request. Attached is a report that presents the test data, describes tasks performed during the reporting period and provides recommendations for necessary site improvements.

- Methane gas was not detected above the LEL at any of the probes during the monitoring on September 5, 18, 15 and 22, 2006. Results for the first round of monthly LFG well monitoring tests were forwarded to the City of Los Angeles (and Vulcan) under a separate cover.

- Methane gas was not detected beneath any of the on-site structures that were tested.

Should you have any questions, do not hesitate to contact either of the undersigned.

Yours truly,

Steve Croasdale
Project Superintendent
SCS FIELD SERVICES

Michael P. Murphy, P.E.
Project Manager
SCS FIELD SERVICES

Environmental Consultants

3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806-6816

562 426-9544
FAX 562 492-6210
www.scsfieldservices.com

SCS FIELD SERVICES

October 24, 2006
File No. 07189003.00

Mr. Dan Zeller
Vulcan
3200 San Fernando Road
Los Angeles, California 90065

Subject: Operation, Monitoring, and Maintenance of the Landfill Gas (LFG) Migration Control Facilities at the former Hewitt Pit Sanitary Landfill, North Hollywood, California

Dear Mr. Zeller:

This letter provides a status report on operation, monitoring, and maintenance (OM&M) performed by SCS Field Services (SCS) on the subject system. Below is a summary of testing and maintenance efforts performed for the period of September 1 through 30, 2006.

Conclusion and Recommendations

As of the date of this report, the collection system appeared to be operating satisfactorily and generally meeting the operational criteria. **Recommendations regarding repair and/or maintenance activities are contained in subsequent sections of this report. Please advise SCS as soon as possible regarding implementation of these recommendations.**

Background

The Hewitt Pit property is a former organic refuse disposal site. Organic materials buried in a landfill decompose anaerobically (in the absence of oxygen), producing a combustible gas containing approximately 50 to 60 percent methane, 40 to 50 percent carbon dioxide and trace quantities of various other gases, some of which are odorous. The Hewitt Pit property contains systems to control the combustible gases generated in the landfill that might migrate off-site and/or otherwise be emitted into the atmosphere.

Methane gas (the combustible component of LFG) is an odorless, colorless gas lighter than air; however, methane gas produced in a landfill is typically physically associated with other gases produced by decomposition of the in-place organic materials. As a result, LFG is comprised of both odorous and non-odorous components. Methane gas can be explosive at concentrations between 5 and 15 percent by volume in air when it migrates into a confined space such as a sub-surface utility vault, basement, wall space, etc., and is exposed to an ignition source. At higher concentrations, methane gas is flammable. However, the presence of methane gas in site soil does not mean there is an immediate threat of explosion because flames typically do not propagate through soil.

Operation Criteria

Two main operational criteria have been established for the subject system as follows:

- The LFG collection system will be operated such that no methane gas above the regulatory reporting level of 5 percent methane is detected at any monitoring well location.
- The flare exit gas temperature will be maintained at a minimum of 1400 degrees Fahrenheit.

A discussion of the flare exit gas operating criteria is contained in the LFG Blower/Flare Station (BFS) section of this report.

Gas Testing

Testing for methane gas (the combustible component of LFG) was performed using a Landtec GEM-2000. This instrument measures combustible gas concentrations in air directly on either of two scales: the first as percent by volume of the lower explosive limit (LEL) of methane gas in air (5 percent); the second as percent by volume (0 to 100 percent) in the gas sampled. The LEL scale is most accurate for combustible gas concentrations of 5 percent or less. Pressure data was collected utilizing a Landtec GEM-2000.

Monitoring Well Testing

Methane gas was not detected above the LEL at any of the probes monitored. Monitoring was performed on September 5, 8, 15 and 22, 2006. Results for the first round of monthly LFG well monitoring tests were forwarded to the City of Los Angeles (and Vulcan) under a separate cover. Test results are provided in the attached table entitled Hewitt Probe Data Summary. Monitoring well locations are shown in the attached Figure 1.

Office Testing

In accordance with the approved Scope of Work, SCS tests for the presence of methane gas in the void space beneath on-site mobile structures on either a weekly (occupied structures) or monthly (unoccupied structures) basis. This testing includes the Public Storage offices/home and other on-site office trailers.

The mobile structures were monitored on September 8, 15, 22 and 29, 2006; methane gas was not detected above the instrument detection limit (0.1 percent by volume) beneath any of the structures tested.

Extraction Well Testing

System adjustments are required whenever a monitoring well exhibits the presence of methane gas or an extraction well exhibits low methane gas quality (which could be due to an overpull

condition). Overpull occurs when the extraction rate of a particular extraction well exceeds that of the LFG generation rate within the radius of influence of the extraction well and then air is injected into the flare. If an extreme overpull condition is allowed to continue for a long period, one of two major conditions may occur: first, there may be a drop in the methane gas content of the collected LFG (potentially reducing the flare exit gas temperature); and second, a subsurface landfill fire could occur.

Results of monthly testing and adjusting of the LFG extraction wells indicated that a number of wells exhibited an overpull condition. This overpull condition may be necessary to clear perimeter-monitoring wells of methane gas. In response to these overpull concerns, SCS conducted a temperature survey at each of the accessible LFG extraction wells. The gas extraction wells were monitored on September 5 and 13, 2006. The temperatures ranged from 82 to 122 degrees Fahrenheit. The result of this survey indicated subsurface temperatures are in the normal to high range for anaerobic decomposition. Temperature survey data for the reporting period is provided in the attached Hewitt Pit Well Data Summary.

LFG Blower/Flare Station Testing

Visual observations and testing of the LFG Blower/Flare Station (BFS) are conducted weekly. During these visits, operating parameters are monitored and mechanical and electrical components are tested for workability. Currently the flare is operated from 6:00AM to 6:00PM every day.

Maintenance/Repair Activities – None

Unscheduled Emergency Call-Out/Shutdown Events – None

During the reporting period, the flare exit gas temperature was observed to remain above the 1400 degree prescribed operating criteria. All other operating parameters remained within the prescribed limits.

The total amount of LFG condensate injected into the flare for the period of September 8, 2006 to September 29, 2006, was approximately 183 gallons as measured by the BFS tank flare inlet flow meter.

The weekly and monthly Blower Flare Station monitoring reports are attached.

LFG Collection System

Visual observation of the LFG control system is conducted weekly. During these visits, observations are made to ensure no pipe breakages have occurred, monitoring ports remain secure, and condensate traps remain functional, etc. Minor repairs were completed as required.

Non-Routine LFG Collection System Activities – None

Site Surface Observation

Visual observation of the landfill surface along the extent of the extraction system is also performed on a weekly basis. Observations for erosion, surface cracks (that might allow LFG to escape or promote air intrusion) and settlement around wells, laterals, and header lines are conducted. During the reporting period, no significant erosion, cracking or settlement that might adversely impact (e.g., allow condensate accumulation such that a complete blockage is created) the LFG collection system operation was observed. Numerous areas of minor settlement and cracking have been observed; although these areas do not severely impact system operation, they should be observed closely to ensure that they do not interrupt continued system operation.

Monthly Maintenance

The monthly maintenance check was performed on September 29, 2006.

Quarterly Site Observation

In accordance with the approved Scope of Work, SCS conducts quarterly observations of the LFG collection system for cracks, breakage, wear of fittings, etc. SCS performed the quarterly site visit on July 21, 2006. The next quarterly site observation is scheduled for October 2006.

Standard Provisions

This report addresses site conditions observed only as of the monitoring dates. Accordingly, we assume no responsibility for any changes that may occur subsequent to our visit, which could affect the quantity of LFG at the subject site or migration to adjacent properties.

Although SCS is the primary party designated to operate and maintain the subject system, SCS acknowledges that Vulcan staff may deem it necessary to make adjustments to the system at times during the term of our Agreement. SCS should be notified of any adjustments made by Vulcan staff.

Should you have any questions, please do not hesitate to contact either of the undersigned.

Very truly yours,

Steve Croasdale

Steve Croasdale
Project Superintendent
SCS FIELD SERVICES

MP Murphy

Michael P. Murphy, P.E.
Project Manager
SCS FIELD SERVICES

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Field Technician and Weather Conditions								
Technician	Date	Ambient Temp	Barometric Pressure (in - Hg)	General Weather	Wind Speed	Wind Direction		
JMV	09/05/2006	90	28.9	Clear	Light Wind	SW		
JMV	09/08/2006	89	28.5	Clear	Light Wind	SW		
JMV	09/15/2006	90	28.9	Clear	Light Wind	SW		
JMV	09/22/2006	89	28.9	Clear	Light Wind	SW		
Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
01M	09/08/2006	12:40	0.0	2.2	18.3	79.5	0.0	-
01M	09/15/2006	07:00	0.0	2.5	18.0	79.5	0.0	-
01M	09/22/2006	12:29	0.0	0.0	20.7	79.3	0.0	-
02M	09/08/2006	12:41	0.0	0.0	20.4	79.6	0.0	-
02M	09/15/2006	07:04	0.0	0.0	21.0	79.0	0.0	-
02M	09/22/2006	12:31	0.0	0.0	20.9	79.1	0.0	-
03M	09/08/2006	12:44	0.0	0.9	19.9	79.2	0.0	-
03M	09/15/2006	07:24	0.0	1.1	20.0	78.9	0.0	-
03M	09/22/2006	08:59	0.0	0.0	20.9	79.1	0.0	-
04M	09/08/2006	12:46	0.0	1.7	19.0	79.3	0.0	-
04M	09/15/2006	07:25	0.0	3.8	16.9	79.3	0.0	-
04M	09/22/2006	09:00	0.0	6.5	12.8	80.7	0.0	-
05M	09/08/2006	12:50	4.3	8.3	15.0	72.4	0.0	-
05M	09/15/2006	07:35	4.6	8.1	14.6	72.7	0.0	-
05M	09/15/2006	07:35	4.6	8.1	14.6	72.7	0.0	-
05M	09/22/2006	09:03	3.7	6.0	15.7	74.6	0.0	-
06M	09/08/2006	13:01	0.0	2.7	17.7	79.6	0.0	-
06M	09/15/2006	07:39	0.0	8.7	17.8	73.5	0.0	-
06M	09/22/2006	09:05	0.0	7.3	13.0	79.7	0.0	-
07M	09/08/2006	13:02	0.0	0.6	19.9	79.5	0.0	-
07M	09/15/2006	07:40	0.0	2.1	18.5	79.4	0.0	-
07M	09/22/2006	09:06	0.0	2.7	17.7	79.6	0.0	-
08M	09/08/2006	13:06	0.0	0.0	20.5	79.5	0.0	-
08M	09/15/2006	07:45	0.0	1.3	20.9	77.8	0.0	-
08M	09/22/2006	09:15	0.0	11.9	6.9	81.2	0.0	-
09M	09/08/2006	13:07	0.0	0.1	20.4	79.5	0.0	-
09M	09/15/2006	07:54	0.0	1.3	21.0	77.7	0.0	-
09M	09/22/2006	09:17	0.0	4.6	13.2	82.2	0.0	-
10M	09/08/2006	13:10	0.0	0.0	20.3	79.7	0.0	-
10M	09/15/2006	07:59	0.0	2.3	18.8	78.9	0.0	-
10M	09/22/2006	09:26	0.0	2.3	19.3	78.4	0.0	-
11M	09/08/2006	13:11	0.0	0.0	20.5	79.5	0.0	-
11M	09/15/2006	08:00	0.0	1.1	16.7	82.2	0.0	-
11M	09/22/2006	09:28	0.0	1.0	16.7	82.3	0.0	-

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
12M	09/08/2006	13:13	0.0	0.0	20.5	79.5	0.0	-
12M	09/15/2006	08:01	0.0	2.8	17.3	79.9	0.0	-
12M	09/22/2006	09:30	0.0	2.9	17.0	80.1	0.0	-
13M	09/08/2006	13:14	0.0	3.2	17.0	79.8	0.0	-
13M	09/15/2006	08:03	0.0	1.0	19.9	79.1	0.0	-
13M	09/22/2006	09:31	0.0	3.1	17.3	79.6	0.0	-
14M	09/08/2006	13:15	0.0	0.0	20.4	79.6	0.0	-
14M	09/15/2006	08:05	0.0	0.0	21.0	79.0	0.0	-
14M	09/22/2006	09:33	0.0	0.0	20.6	79.4	0.0	-
15M	09/08/2006	13:19	0.0	1.6	18.7	79.7	0.0	-
15M	09/15/2006	08:13	0.0	1.7	19.4	78.9	0.0	-
15M	09/22/2006	09:37	0.0	1.6	19.4	79.0	0.0	-
16M	09/08/2006	13:22	0.0	0.0	20.5	79.5	0.0	-
16M	09/15/2006	08:17	0.0	0.0	21.1	78.9	0.0	-
16M	09/22/2006	09:43	0.0	0.0	20.8	79.2	0.0	-
17M	09/08/2006	13:27	0.0	0.0	20.1	79.9	0.0	-
17M	09/15/2006	08:25	0.0	0.0	20.8	79.2	0.0	-
17M	09/22/2006	09:57	0.0	0.0	20.5	79.5	0.0	-
18M	09/08/2006	13:28	0.0	0.1	20.1	79.8	0.0	-
18M	09/15/2006	08:27	0.0	0.2	20.6	79.2	0.0	-
18M	09/22/2006	09:59	0.0	0.1	20.6	79.3	0.0	-
19M	09/05/2006	10:18	0.0	0.0	20.8	79.2	0.0	-
19M	09/08/2006	13:29	0.0	0.0	20.3	79.7	0.0	-
19M	09/15/2006	08:29	0.0	0.0	20.9	79.1	0.0	-
19M	09/22/2006	10:07	0.4	0.0	20.1	79.5	0.0	-
19M	09/22/2006	10:07	0.4	0.0	20.1	79.5	0.0	-
20M	09/05/2006	10:23	0.0	0.0	20.8	79.2	0.0	-
20M	09/08/2006	13:40	0.0	0.0	20.6	79.4	0.0	-
20M	09/15/2006	08:32	0.0	0.0	21.0	79.0	0.0	-
20M	09/22/2006	10:08	0.1	0.0	20.9	79.0	0.0	-
21M	09/05/2006	10:25	0.0	0.0	20.8	79.2	0.0	-
21M	09/08/2006	13:44	0.0	0.0	20.6	79.4	0.0	-
21M	09/08/2006	13:44	0.0	0.0	20.6	79.4	0.0	-
21M	09/15/2006	08:35	0.0	0.0	21.0	79.0	0.0	-
21M	09/22/2006	10:11	0.1	0.0	20.9	79.0	0.0	-
22M	09/05/2006	10:28	0.0	1.2	19.1	79.7	0.0	-
22M	09/08/2006	13:46	0.0	1.8	17.8	80.4	0.0	-
22M	09/15/2006	08:39	0.0	0.0	21.0	79.0	0.0	-
22M	09/22/2006	10:14	0.0	0.0	20.9	79.1	0.0	-
23M	09/05/2006	10:30	0.0	0.0	20.6	79.4	0.0	-
23M	09/08/2006	13:48	0.0	2.3	17.4	80.3	0.0	-
23M	09/15/2006	08:42	0.0	0.1	20.7	79.2	0.0	-

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
23M	09/15/2006	08:42	0.0	0.1	20.7	79.2	0.0	-
23M	09/22/2006	10:16	0.0	0.2	20.7	79.1	0.0	-
24M	09/05/2006	10:32	0.0	0.0	20.6	79.4	0.0	-
24M	09/08/2006	13:50	0.0	0.0	20.5	79.5	0.0	-
24M	09/15/2006	08:44	0.0	0.0	21.0	79.0	0.0	-
24M	09/22/2006	10:18	0.0	0.0	21.0	79.0	0.0	-
25M	09/05/2006	10:34	0.0	0.0	20.7	79.3	0.0	-
25M	09/08/2006	13:51	0.0	0.9	18.9	80.2	0.0	-
25M	09/15/2006	08:45	0.0	0.0	21.0	79.0	0.0	-
25M	09/22/2006	10:18	0.0	0.0	20.9	79.1	0.0	-
26M	09/05/2006	10:36	0.0	0.3	20.0	79.7	0.0	-
26M	09/08/2006	13:53	0.0	0.7	19.5	79.8	0.0	-
26M	09/08/2006	13:53	0.0	0.7	19.5	79.8	0.0	-
26M	09/15/2006	08:47	0.0	0.7	20.1	79.2	0.0	-
26M	09/22/2006	10:20	0.0	0.6	20.1	79.3	0.0	-
27M	09/05/2006	10:38	0.0	0.0	20.3	79.7	0.0	-
27M	09/08/2006	13:55	0.0	0.0	20.4	79.6	0.0	-
27M	09/15/2006	08:49	0.0	0.0	21.0	79.0	0.0	-
27M	09/22/2006	10:21	0.0	0.0	20.9	79.1	0.0	-
28M	09/05/2006	10:39	0.0	0.0	20.5	79.5	0.0	-
28M	09/08/2006	13:57	0.0	0.1	20.2	79.7	0.0	-
28M	09/15/2006	08:51	0.0	0.4	20.5	79.1	0.0	-
28M	09/22/2006	10:24	0.0	0.0	21.0	79.0	0.0	-
29M	09/05/2006	10:41	0.0	0.0	20.6	79.4	0.0	-
29M	09/08/2006	13:59	0.0	0.8	19.3	79.9	0.0	-
29M	09/08/2006	13:59	0.0	0.8	19.3	79.9	0.0	-
29M	09/15/2006	08:53	0.0	0.0	21.0	79.0	0.0	-
29M	09/22/2006	10:25	0.0	0.0	21.0	79.0	0.0	-
30M	09/05/2006	10:43	0.0	0.0	20.6	79.4	0.0	-
30M	09/08/2006	14:00	0.0	0.0	20.5	79.5	0.0	-
30M	09/15/2006	08:54	0.0	0.0	21.1	78.9	0.0	-
30M	09/22/2006	10:26	0.0	0.0	21.0	79.0	0.0	-
31M	09/05/2006	10:45	0.0	0.0	20.3	79.7	0.0	-
31M	09/08/2006	14:02	0.0	0.0	20.6	79.4	0.0	-
31M	09/08/2006	14:06	0.0	0.3	19.9	79.8	0.0	-
31M	09/15/2006	08:56	0.0	0.0	21.1	78.9	0.0	-
31M	09/22/2006	10:28	0.0	0.0	20.9	79.1	0.0	-
32M	09/05/2006	10:47	0.0	0.0	20.4	79.6	0.0	-
32M	09/05/2006	10:47	0.0	0.0	20.4	79.6	0.0	-
32M	09/08/2006	14:07	0.0	5.2	13.9	80.9	0.0	-
32M	09/15/2006	08:58	0.0	0.0	21.1	78.9	0.0	-
32M	09/22/2006	10:29	0.0	0.0	21.0	79.0	0.0	-

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
33M	09/05/2006	10:49	0.0	0.0	20.4	79.6	0.0	-
33M	09/15/2006	09:02	0.0	0.0	21.1	78.9	0.0	-
33M	09/22/2006	10:30	0.0	0.0	21.0	79.0	0.0	-
34M	09/05/2006	10:52	0.0	0.0	20.4	79.6	0.0	-
34M	09/08/2006	14:09	0.0	0.0	20.4	79.6	0.0	-
34M	09/15/2006	09:05	0.0	0.0	21.1	78.9	0.0	-
34M	09/22/2006	10:31	0.0	0.0	20.9	79.1	0.0	-
35M	09/05/2006	10:53	0.0	0.0	20.4	79.6	0.0	-
35M	09/08/2006	14:10	0.0	0.3	19.5	80.2	0.0	-
35M	09/15/2006	09:07	0.0	0.0	21.1	78.9	0.0	-
35M	09/22/2006	10:32	0.0	0.0	21.0	79.0	0.0	-
36M	09/05/2006	10:56	0.0	3.6	16.4	80.0	0.0	-
36M	09/08/2006	14:12	0.0	6.3	13.2	80.5	0.0	-
36M	09/15/2006	09:09	0.0	7.2	12.2	80.6	0.0	-
36M	09/22/2006	10:33	0.0	5.0	14.5	80.5	0.0	-
36M	09/22/2006	10:34	0.0	5.0	14.5	80.5	0.0	-
37M	09/05/2006	10:58	0.0	0.0	20.4	79.6	0.0	-
37M	09/08/2006	14:14	0.0	0.0	20.6	79.4	0.0	-
37M	09/15/2006	09:11	0.0	0.0	21.0	79.0	0.0	-
37M	09/22/2006	10:35	0.0	0.0	20.9	79.1	0.0	-
38M	09/05/2006	11:00	0.0	0.0	20.4	79.6	0.0	-
38M	09/08/2006	14:15	0.0	0.0	20.6	79.4	0.0	-
38M	09/15/2006	09:13	0.0	0.0	21.1	78.9	0.0	-
38M	09/22/2006	10:36	0.0	0.0	21.0	79.0	0.0	-
39M	09/05/2006	11:01	0.0	0.8	19.1	80.1	0.0	-
39M	09/08/2006	14:17	0.0	1.0	19.0	80.0	0.0	-
39M	09/15/2006	09:15	0.0	1.1	19.6	79.3	0.0	-
39M	09/22/2006	10:37	0.0	0.9	19.8	79.3	0.0	-
40M	09/05/2006	11:03	0.0	0.0	19.9	80.1	0.0	-
40M	09/08/2006	14:19	0.0	0.1	20.2	79.7	0.0	-
40M	09/15/2006	09:17	0.0	0.0	20.9	79.1	0.0	-
40M	09/22/2006	10:40	0.0	0.0	20.7	79.3	0.0	-
41M	09/05/2006	11:06	0.0	0.4	19.5	80.1	0.0	-
41M	09/08/2006	14:21	0.0	1.6	18.4	80.0	0.0	-
41M	09/15/2006	09:22	0.0	0.0	21.1	78.9	0.0	-
41M	09/22/2006	10:41	0.0	0.0	21.0	79.0	0.0	-
42M	09/05/2006	11:08	0.0	0.0	20.3	79.7	0.0	-
42M	09/08/2006	14:22	0.0	3.2	16.2	80.6	0.0	-
42M	09/15/2006	09:24	0.0	0.0	21.2	78.8	0.0	-
42M	09/22/2006	10:42	0.0	0.0	21.0	79.0	0.0	-
43M	09/05/2006	11:11	0.1	0.5	19.4	80.0	0.0	-
43M	09/08/2006	14:25	0.0	1.6	17.8	80.6	0.0	-

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
43M	09/15/2006	09:27	0.0	0.6	19.9	79.5	0.0	-
43M	09/22/2006	10:44	0.0	0.2	19.9	79.9	0.0	-
44M	09/05/2006	11:12	0.0	0.2	19.6	80.2	0.0	-
44M	09/08/2006	14:27	0.0	1.7	17.8	80.5	0.0	-
44M	09/15/2006	09:28	0.0	0.0	21.0	79.0	0.0	-
44M	09/22/2006	10:47	0.0	0.0	21.0	79.0	0.0	-
45M	09/05/2006	11:14	0.1	0.0	20.2	79.7	0.0	-
45M	09/08/2006	14:29	0.0	0.0	20.3	79.7	0.0	-
45M	09/15/2006	09:31	0.0	0.0	21.0	79.0	0.0	-
45M	09/22/2006	10:48	0.0	0.0	20.9	79.1	0.0	-
46M	09/05/2006	11:16	0.0	0.0	20.1	79.9	0.0	-
46M	09/08/2006	14:30	0.0	0.0	20.5	79.5	0.0	-
46M	09/15/2006	09:33	0.0	0.0	21.0	79.0	0.0	-
46M	09/22/2006	10:49	0.0	0.0	20.9	79.1	0.0	-
47M	09/05/2006	11:18	0.0	0.0	20.2	79.8	0.0	-
47M	09/08/2006	14:32	0.0	0.2	19.9	79.9	0.0	-
47M	09/15/2006	09:34	0.0	0.0	21.0	79.0	0.0	-
47M	09/22/2006	10:50	0.0	0.0	20.8	79.2	0.0	-
48M	09/05/2006	11:22	0.0	0.0	20.0	80.0	0.0	-
48M	09/08/2006	14:33	0.0	1.6	18.4	80.0	0.0	-
48M	09/15/2006	09:36	0.0	1.7	19.1	79.2	0.0	-
48M	09/22/2006	10:52	0.0	1.4	18.9	79.7	0.0	-
49M	09/05/2006	11:25	0.0	1.9	17.9	80.2	0.0	-
49M	09/08/2006	14:36	0.0	1.7	18.5	79.8	0.0	-
49M	09/15/2006	09:38	0.0	1.7	19.4	78.9	0.0	-
49M	09/22/2006	10:54	0.0	1.7	19.1	79.2	0.0	-
50M	09/05/2006	11:27	0.1	2.0	17.6	80.3	0.0	-
50M	09/08/2006	14:37	0.0	2.1	18.0	79.9	0.0	-
50M	09/15/2006	09:41	0.0	2.3	18.7	79.0	0.0	-
50M	09/22/2006	10:55	0.0	2.2	18.4	79.4	0.0	-
51M	09/05/2006	11:31	0.8	1.0	18.3	79.9	0.0	-
51M	09/08/2006	14:39	0.0	1.2	18.9	79.9	0.0	-
51M	09/15/2006	09:43	0.0	0.0	21.1	78.9	0.0	-
51M	09/22/2006	10:58	0.0	0.0	20.8	79.2	0.0	-
52M	09/05/2006	11:33	0.6	0.0	19.4	80.0	0.0	-
52M	09/08/2006	14:41	0.0	0.0	20.4	79.6	0.0	-
52M	09/15/2006	09:45	0.0	0.0	21.1	78.9	0.0	-
52M	09/22/2006	11:00	0.2	0.6	20.2	79.0	0.0	-
53M	09/15/2006	09:48	0.0	1.9	19.0	79.1	0.0	-
53M	09/22/2006	11:02	0.0	1.8	18.7	79.5	0.0	-
54M	09/05/2006	11:47	0.1	1.8	14.0	84.1	0.0	-
54M	09/08/2006	14:45	0.0	1.9	17.2	80.9	0.0	-

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
54M	09/15/2006	09:52	0.0	1.3	19.1	79.6	0.0	-
54M	09/22/2006	11:04	0.0	1.5	18.2	80.3	0.0	-
55M	09/05/2006	11:50	0.0	0.0	15.1	84.9	0.0	-
55M	09/08/2006	14:46	0.0	1.9	17.1	81.0	0.0	-
55M	09/15/2006	09:55	0.0	0.4	20.4	79.2	0.0	-
55M	09/22/2006	11:06	0.0	0.0	20.7	79.3	0.0	-
56M	09/05/2006	11:53	0.1	1.0	13.0	85.9	0.0	-
56M	09/08/2006	14:49	0.1	0.0	20.3	79.6	0.0	-
56M	09/15/2006	09:57	0.0	0.7	20.1	79.2	0.0	-
56M	09/22/2006	11:09	0.0	1.6	18.3	80.1	0.0	-
57M	09/05/2006	11:55	0.0	0.9	12.9	86.2	0.0	-
57M	09/08/2006	14:50	0.0	2.1	18.1	79.8	0.0	-
57M	09/15/2006	10:00	0.0	0.0	20.9	79.1	0.0	-
57M	09/22/2006	11:11	0.0	0.9	19.6	79.5	0.0	-
58M	09/05/2006	11:58	0.1	0.2	13.2	86.5	0.0	-
58M	09/08/2006	14:53	0.0	1.7	18.1	80.2	0.0	-
58M	09/15/2006	10:02	0.0	0.0	20.8	79.2	0.0	-
58M	09/22/2006	11:13	0.0	1.2	19.4	79.4	0.0	-
59M	09/05/2006	12:01	0.1	0.3	12.9	86.7	0.0	-
59M	09/08/2006	14:57	0.0	2.1	16.6	81.3	0.0	-
59M	09/15/2006	10:06	0.0	1.1	19.6	79.3	0.0	-
59M	09/22/2006	11:15	0.0	1.2	18.8	80.0	0.0	-
60M	09/05/2006	12:04	0.1	1.6	11.8	86.5	0.0	-
60M	09/08/2006	14:59	0.0	3.9	14.4	81.7	0.0	-
60M	09/15/2006	10:11	0.0	2.8	17.2	80.0	0.0	-
60M	09/22/2006	11:17	0.0	2.2	17.8	80.0	0.0	-
61M	09/05/2006	12:06	0.1	0.7	12.1	87.1	0.0	-
61M	09/08/2006	15:02	0.0	1.8	16.7	81.5	0.0	-
61M	09/15/2006	10:15	0.0	1.5	18.0	80.5	0.0	-
61M	09/22/2006	11:19	0.0	0.0	20.7	79.3	0.0	-
62M	09/05/2006	12:09	0.1	2.6	10.2	87.1	0.0	-
62M	09/08/2006	15:05	0.0	0.6	18.7	80.7	0.0	-
62M	09/15/2006	10:17	0.0	3.4	15.8	80.8	0.0	-
62M	09/22/2006	11:21	0.0	3.2	15.9	80.9	0.0	-
63M	09/05/2006	12:11	0.2	0.1	12.5	87.2	0.0	-
63M	09/08/2006	15:08	0.0	1.0	18.0	81.0	0.0	-
63M	09/15/2006	10:22	0.0	0.5	20.1	79.4	0.0	-
63M	09/22/2006	11:23	0.0	1.8	17.5	80.7	0.0	-
64M	09/05/2006	12:14	0.2	0.0	12.7	87.1	0.0	-
64M	09/08/2006	15:11	0.0	0.0	19.6	80.4	0.0	-
64M	09/15/2006	10:26	0.1	0.8	20.1	79.0	0.0	-
64M	09/22/2006	11:25	0.1	1.0	19.6	79.3	0.0	-

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
65M	09/08/2006	15:12	0.0	0.0	19.8	80.2	0.0	-
65M	09/15/2006	10:29	0.0	0.5	20.3	79.2	0.0	-
65M	09/22/2006	11:28	0.0	0.0	20.7	79.3	0.0	-
66M	09/08/2006	15:15	0.0	0.0	19.7	80.3	0.0	-
66M	09/15/2006	10:31	0.0	0.0	21.0	79.0	0.0	-
66M	09/22/2006	11:29	0.0	0.0	20.8	79.2	0.0	-
67M	09/15/2006	10:32	0.1	0.0	21.0	78.9	0.0	-
67M	09/22/2006	11:32	0.0	0.0	20.7	79.3	0.0	-
68M	09/08/2006	15:18	0.0	0.0	19.7	80.3	0.0	-
68M	09/15/2006	10:34	0.0	0.0	21.1	78.9	0.0	-
68M	09/22/2006	11:35	0.0	0.0	20.7	79.3	0.0	-
69M	09/08/2006	15:21	0.0	0.6	18.7	80.7	0.0	-
69M	09/15/2006	10:36	0.0	0.8	19.9	79.3	0.0	-
69M	09/22/2006	11:37	0.0	0.0	20.8	79.2	0.0	-
70M	09/08/2006	15:23	0.0	1.1	18.3	80.6	0.0	-
70M	09/15/2006	10:39	0.0	1.5	19.1	79.4	0.0	-
70M	09/22/2006	11:39	0.0	1.3	18.9	79.8	0.0	-
71M	09/08/2006	15:25	0.0	0.0	19.9	80.1	0.0	-
71M	09/15/2006	10:43	0.0	0.0	21.0	79.0	0.0	-
71M	09/22/2006	11:41	0.0	0.0	20.8	79.2	0.0	-
72M	09/08/2006	15:26	0.0	0.0	19.9	80.1	0.0	-
72M	09/15/2006	10:47	0.0	2.9	18.0	79.1	0.0	-
72M	09/15/2006	10:48	0.0	2.9	18.0	79.1	0.0	-
72M	09/22/2006	11:42	0.0	0.0	20.8	79.2	0.0	-
73M	09/08/2006	15:27	0.0	0.0	19.9	80.1	0.0	-
73M	09/15/2006	10:51	0.0	0.0	20.8	79.2	0.0	-
73M	09/22/2006	11:44	0.0	0.1	20.2	79.7	0.0	-
74M	09/08/2006	15:28	0.0	0.0	20.1	79.9	0.0	-
74M	09/15/2006	10:54	0.0	0.0	20.9	79.1	0.0	-
74M	09/22/2006	11:47	0.0	0.3	20.4	79.3	0.0	-
75M	09/08/2006	15:30	0.0	0.0	19.9	80.1	0.0	-
75M	09/15/2006	11:03	0.3	0.0	21.0	78.7	0.0	-
75M	09/22/2006	11:49	0.0	0.0	20.8	79.2	0.0	-
76M	09/08/2006	15:32	0.0	0.0	20.0	80.0	0.0	-
76M	09/15/2006	11:05	0.2	0.0	21.0	78.8	0.0	-
76M	09/22/2006	11:51	0.0	0.0	20.9	79.1	0.0	-
77M	09/08/2006	15:35	0.0	0.0	20.0	80.0	0.0	-
77M	09/15/2006	11:09	0.1	0.0	20.9	79.0	0.0	-
77M	09/22/2006	11:54	0.0	0.0	20.9	79.1	0.0	-
78M	09/08/2006	15:37	0.0	4.9	15.0	80.1	0.0	-
78M	09/15/2006	11:12	0.0	10.6	9.8	79.6	0.0	-
78M	09/22/2006	11:57	0.0	11.5	8.3	80.2	0.0	-

Hewitt Pit Probe Monitoring Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Comments
79M	09/08/2006	15:40	0.0	14.4	4.8	80.8	0.0	-
79M	09/15/2006	11:15	0.0	9.9	9.8	80.3	0.0	-
79M	09/22/2006	12:00	0.0	14.9	5.3	79.8	0.0	-
80M	09/08/2006	15:43	0.0	0.0	20.0	80.0	0.0	-
80M	09/15/2006	11:18	0.0	0.0	21.0	79.0	0.0	-
80M	09/22/2006	12:03	0.0	0.0	21.0	79.0	0.0	-
81M	09/08/2006	15:44	0.0	0.0	20.3	79.7	0.0	-
81M	09/15/2006	11:26	0.0	0.0	20.7	79.3	0.0	-
81M	09/22/2006	12:09	0.0	0.0	20.8	79.2	0.0	-
FLARE	09/08/2006	15:51	22.5	23.6	4.4	49.5	15.5	-
FLARE	09/15/2006	11:53	23.3	24.0	4.6	48.1	15.4	-
FLARE	09/22/2006	12:14	20.8	21.5	5.3	52.4	19.1	-

HEWITT PIT LANDFILL
MONITORING DATA RECORDING FORM
BLOWER/FLARE STATION

07189003.00

DATE & TIME 09-08-06,
PERSONNEL Juan Velazquez
TEMP 89°
PRESS. 28.5" BAR
WEATHER Clear.
WIND

BLOWER STATION DATA:

BLOWER STATUS - **ARRIVAL:** (ON) OFF **DEPARTURE:** (ON) OFF
PRESSURE (IN-W.C.): INLET: -21" OUTLET: +16.0
BLOWER IN OPERATION: (1) 2 3
BLOWER HOURS: 1 04257 2 06827.2
ROTATE BLOWERS?: NO.

FLARE SYSTEM:

METER INSTANTANEOUS FLOW, scfm: 680
GAS COMPOSITION: CH4%: 22.4 O2%: 4.5
CO2%: 23.3 BAL%: 49.4
FLARE GAS TEMP. SET POINT: 1550 CURRENT TEMP: 1550
FLARE INLET PRESS: FLARE OUTLET PRESS:
CHART RECORDER STATUS: Check AUTO-DIALER STATUS: Check
PROPANE TANKS (PERCENT FULL): 1 20% 2 100%
TIMER CYCLE: START TIME 6:AM STOP TIME 6:PM
HOURS ON 12 HOURS OFF 12 DAYS: (SU M TU W TH F SA)

AIR COMPRESSOR OPERATION:

OIL LEVELS: AC-1: Check AC-2 Check
SUPPLY LINE PRESSURE: 160" REGULATOR LINE PRESSURE 120"
ROTATE COMPRESSORS?: Yes, Auto

HEADER LINE DATA:

WELLS 1 - 19	CH4 %	11.4	O2 %	7.5	PRESSURE	-2.7
WELLS 1 - 15	CH4 %	22.5	O2 %	0	PRESSURE	-2.4
PERIMETER	CH4 %	5.3	O2 %	10.7	PRESSURE	-2.1"
WELLS 20 - 39	CH4 %	31.0	O2 %	2.4	PRESSURE	-0 18.2

WEEKLY MONITORING:

MOBILE HOME RESULTS N/D. L.A. AUTO OFFICE NO. 1 N/D.
OFFICE RESULTS N/D. L.A. AUTO OFFICE NO. 2 N/D.

CONDENSATE TANK AND INJECTION SYSTEM:

	TOTALIZER	FIELD TANK	BFS TANK	DATE
METER READINGS	2126	134600	49182	9-8-06
PREV. METER READINGS				8-31-06
DIFFERENCE				9-8-06

AIR COMPRESSORS OPERATIONS (OIL & FILTER) Check
INJECTION FILTERS & CLEAN OUTS (CHECK & CLEAN IF NEEDED) Check
10" FILTER REPLACED Check 5" F ILTER REPLACED: Check
CONDENSATE TANK LEVEL - PERCENT FULL 20%
SUPPLY LINE PRESSURE 160"
REGULATOR LINE PRESSURE 120"

HEWITT PIT LANDFILL
MONITORING DATA RECORDING FORM
BLOWER/FLARE STATION

07189003.00

DATE & TIME 09-15-06
PERSONNEL Juan Velazquez
TEMP 90°
PRESS. 28.9" BAR
WEATHER Clear.
WIND 0-5

BLOWER STATION DATA:

BLOWER STATUS - **ARRIVAL:** ON OFF **DEPARTURE:** ON OFF
PRESSURE (IN-W.C.): INLET: -22 OUTLET: +16.1"
BLOWER IN OPERATION: 1
BLOWER HOURS: 1 0505.3 2 0687.2
ROTATE BLOWERS?: NO.

FLARE SYSTEM:

METER INSTANTANEOUS FLOW, scfm: 1685
GAS COMPOSITION: CH4%: 23.2 O2%: 4.7
CO2%: 24.1 BAL%: 48.0
FLARE GAS TEMP. SET POINT: 1550 CURRENT TEMP: 1553
FLARE INLET PRESS: + 16.1 FLARE OUTLET PRESS: 14.2"
CHART RECORDER STATUS: Checked AUTO-DIALER STATUS: Checked
PROPANE TANKS (PERCENT FULL): 1 20 2 100%
TIMER CYCLE: START TIME 6 AM STOP TIME 6 PM
HOURS ON 12 HOURS OFF 12 DAYS: SU M TU W TH F SA

AIR COMPRESSOR OPERATION:

OIL LEVELS: AC-1: Checked AC-2 Checked
SUPPLY LINE PRESSURE: 160" REGULATOR LINE PRESSURE 120"
ROTATE COMPRESSORS?: Yes, Auto

HEADER LINE DATA:

WELLS 1 - 19	CH4 %	12.8	O2 %	7.4	PRESSURE	-2.7
WELLS 1 - 15	CH4 %	29.7	O2 %	2.5	PRESSURE	-17.7
PERIMETER	CH4 %	5.1	O2 %	10.5	PRESSURE	-2.1
WELLS 20 - 39	CH4 %	—	O2 %	—	PRESSURE	—

WEEKLY MONITORING:

MOBILE HOME RESULTS Ø L.A. AUTO OFFICE NO. 1 ✓
OFFICE RESULTS ✓ L.A. AUTO OFFICE NO. 2 ✓

CONDENSATE TANK AND INJECTION SYSTEM:

	TOTALIZER	FIELD TANK	BFS TANK	DATE
METER READINGS	2126	134600	49250	09-15-06
PREV. METER READINGS	2126	134600	49182	09-08-06
DIFFERENCE	Ø	Ø	68	09-15-06

AIR COMPRESSORS OPERATIONS (OIL & FILTER) Checked
INJECTION FILTERS & CLEAN OUTS (CHECK & CLEAN IF NEEDED) Checked
10" FILTER REPLACED OK. 5" F ILTER REPLACED: OK.
CONDENSATE TANK LEVEL - PERCENT FULL 3
SUPPLY LINE PRESSURE 160"
REGULATOR LINE PRESSURE 120"

HEWITT PIT LANDFILL
MONITORING DATA RECORDING FORM
BLOWER/FLARE STATION

07189003.00

DATE & TIME 9-22-06
PERSONNEL Juan Velazquez
TEMP 90°
PRESS. 28.9" BAR
WEATHER Clear
WIND 0-5

BLOWER STATION DATA:

BLOWER STATUS - ARRIVAL: (ON) OFF DEPARTURE: (ON)
OFF
PRESSURE (IN-W.C.): INLET: -18" OUTLET: +18.9
BLOWER IN OPERATION: (1) 2
BLOWER HOURS: 1 0586.7 2 0687.2
ROTATE BLOWERS?: NO.

FLARE SYSTEM:

METER INSTANTANEOUS FLOW, scfm: 760
GAS COMPOSITION: CH4%: 20.9 O2%: 5.2
CO2%: 21.4 BAL%: 52.3
FLARE GAS TEMP. SET POINT: 1550 CURRENT TEMP: 1555
FLARE INLET PRESS: +18.9" FLARE OUTLET PRESS: +17.6"
CHART RECORDER STATUS: Check AUTO-DIALER STATUS: Check
PROPANE TANKS (PERCENT FULL): 1 100% 2 100%
TIMER CYCLE: START TIME 6:AM STOP TIME 6:PM
HOURS ON 12 HOURS OFF 12 DAYS: SU M TU W TH F SA

AIR COMPRESSOR OPERATION:

OIL LEVELS: AC-1: Check AC-2 Check
SUPPLY LINE PRESSURE: 160" REGULATOR LINE PRESSURE 120"
ROTATE COMPRESSORS?: Auto, Yes

HEADER LINE DATA:

WELLS 1 - 19	CH4 %	12.1	O2 %	7.2	PRESSURE	-7.0"
WELLS 1 - 15	CH4 %	38.8	O2 %	0.2	PRESSURE	-5.2"
PERIMETER	CH4 %	5.7	O2 %	9.4	PRESSURE	-4.5
WELLS 20 - 39	CH4 %	32.2	O2 %	2.4	PRESSURE	-14.7"

WEEKLY MONITORING:

MOBILE HOME RESULTS N/D L.A. AUTO OFFICE NO. 1 N/D
OFFICE RESULTS N/D L.A. AUTO OFFICE NO. 2 N/D

CONDENSATE TANK AND INJECTION SYSTEM:

	TOTALIZER	FIELD TANK	BFS TANK	DATE
METER READINGS	2689	134934	49314	9-22-06
PREV. METER READINGS	2126	134600	49250	9-15-06
DIFFERENCE	563	134	64	9-22-06

AIR COMPRESSORS OPERATIONS (OIL & FILTER) Check
INJECTION FILTERS & CLEAN OUTS (CHECK & CLEAN IF NEEDED) Check
10" FILTER REPLACED Replace 5" F ILTER REPLACED: Replace
CONDENSATE TANK LEVEL - PERCENT FULL 10%
SUPPLY LINE PRESSURE 160"
REGULATOR LINE PRESSURE 120"

HEWITT PIT LANDFILL
MONITORING DATA RECORDING FORM
BLOWER/FLARE STATION

07189003.00

DATE & TIME 09-29-06
PERSONNEL Juan Velazquez
TEMP 80°
PRESS. 28.9" BAR
WEATHER Clear
WIND 0-5

BLOWER STATION DATA:

BLOWER STATUS - **ARRIVAL:** (ON) OFF **DEPARTURE:** (ON) OFF
PRESSURE (IN-W.C.): INLET: -18" OUTLET: +18.1"
BLOWER IN OPERATION: 1 2 (3)
BLOWER HOURS: 1 01619.9 2 07397.8
ROTATE BLOWERS?: NO

FLARE SYSTEM:

METER INSTANTANEOUS FLOW, scfm: 723
GAS COMPOSITION: CH4%: 20.7 O2%: 5.2
CO2%: 21.6 BAL%: 52.3
FLARE GAS TEMP. SET POINT: 1350 CURRENT TEMP: 1340
FLARE INLET PRESS: +18" FLARE OUTLET PRESS: +18.1"
CHART RECORDER STATUS: Check AUTO-DIALER STATUS: Check
PROPANE TANKS (PERCENT FULL): 1 90% 2 100%
TIMER CYCLE: START TIME 6AM STOP TIME 6PM
HOURS ON 12 HOURS OFF 12 DAYS (SU M TU W TH F SA)

AIR COMPRESSOR OPERATION:

OIL LEVELS: AC-1: OK AC-2 OK
SUPPLY LINE PRESSURE: 160" REGULATOR LINE PRESSURE 120"
ROTATE COMPRESSORS?: Yes, Auto.

HEADER LINE DATA:

WELLS 1 - 19	CH4 %	11.0	O2 %	1.4	PRESSURE -4.8"
WELLS 1 - 15	CH4 %	23.3	O2 %	0.5	PRESSURE -4.2"
PERIMETER	CH4 %	4.3	O2 %	11.6	PRESSURE -3.5
WELLS 20 - 39	CH4 %	31.5	O2 %	2.1	PRESSURE -14.0

WEEKLY MONITORING:

MOBILE HOME RESULTS N/D. L.A. AUTO OFFICE NO. 1 N/D.
OFFICE RESULTS N/D. L.A. AUTO OFFICE NO. 2 N/D.

CONDENSATE TANK AND INJECTION SYSTEM:

	TOTALIZER	FIELD TANK	BFS TANK	DATE
METER READINGS	2689	134930	49365	09-29-06
PREV. METER READINGS	2689	134934	49314	09-22-06
DIFFERENCE	0	0	51	09-29-06

AIR COMPRESSORS OPERATIONS (OIL & FILTER) Checked
INJECTION FILTERS & CLEAN OUTS (CHECK & CLEAN IF NEEDED) Checked
10" FILTER REPLACED OK 5" F ILTER REPLACED: OK
CONDENSATE TANK LEVEL - PERCENT FULL 20%
SUPPLY LINE PRESSURE 160"
REGULATOR LINE PRESSURE 120"

Hewitt Pit Well Data - 9/01/2006 through 9/30/2006

Field Technician and Weather Conditions						
Technician	Date	Ambient Temp	Barometric Pressure (in - Hg)	General Weather	Wind Speed	Wind Direction
mike braun	09/05/2006	82	29.2	Clear	Light Wind	E
JMV	09/13/2006	90	28.9	Clear	Light Wind	SW

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Temp (Deg F)	Flow (scfm)	System Press (Inch H2O)	Comments
P1	09/05/2006	09:46	0.0	0.0	20.1	79.9	-0.3	90	0		-
P10	09/05/2006	09:57	0.0	7.5	11.8	80.7	-0.4	86	0		-
P11	09/05/2006	09:58	0.0	0.4	19.5	80.1	-0.1	88	0		-
P13	09/05/2006	09:59	0.0	0.0	20.4	79.6	-0.2	90	0		-
P14	09/05/2006	10:01	0.0	0.0	20.5	79.5	0.0	90	0		-
P15	09/05/2006	10:04	0.0	0.0	20.6	79.4	-0.2	88	0		-
P16	09/05/2006	10:06	0.0	0.0	20.8	79.2	0.0	86	0		-
P17	09/05/2006	10:07	0.0	0.0	20.8	79.2	-0.2	92	0		-
P18	09/05/2006	10:08	0.0	0.5	20.1	79.4	0.0	90	0		-
P19	09/05/2006	10:10	0.0	3.9	14.9	81.2	-0.5	92	0		-
P2	09/05/2006	09:47	0.0	0.0	20.2	79.8	-0.1	86	0		-
P20	09/05/2006	10:11	0.0	5.0	15.0	80.0	-0.1	88	0		-
P21	09/05/2006	10:13	7.2	16.1	4.8	71.9	-0.5	96	0		-
P22	09/05/2006	10:15	0.0	3.1	17.1	79.8	-0.1	92	0		-
P23	09/05/2006	10:17	3.5	8.7	11.6	76.2	-0.9	110	0		-
P24	09/05/2006	10:19	6.9	11.2	9.8	72.1	-0.8	116	0		-
P25	09/05/2006	09:25	6.1	10.5	11.2	72.2	-0.9	110	0		-
P26	09/05/2006	09:23	0.0	0.0	20.3	79.7	-0.1	82	0		-
P27	09/05/2006	09:22	0.0	0.4	19.9	79.7	-0.2	80	0		-
P28	09/05/2006	09:20	0.8	12.0	7.5	79.7	-0.4	122	0		-
P29	09/05/2006	09:18	0.0	4.8	14.8	80.4	-0.3	100	0		-
P3	09/05/2006	09:50	0.0	0.0	20.2	79.8	-0.3	88	0		-
P30	09/05/2006	09:15	0.0	4.1	15.9	80.0	-0.3	96	0		-
P31	09/05/2006	09:14	0.0	0.2	20.2	79.6	-0.1	84	0		-
P32	09/05/2006	09:12	0.0	0.0	20.3	79.7	-0.1	86	0		-
P33	09/05/2006	09:10	0.0	0.0	20.3	79.7	-0.1	86	0		-
P34	09/05/2006	09:09	0.0	0.0	20.2	79.8	-0.1	0	84		-
P35	09/05/2006	09:07	0.0	1.5	19.6	78.9	-0.2	84	0		-
P36	09/05/2006	09:05	0.4	9.4	10.4	79.8	-0.3	86	0		-
P37	09/05/2006	09:04	0.0	0.0	20.3	79.7	-0.1	84	0		-
P38	09/05/2006	09:02	0.0	0.1	20.0	79.9	-0.2	82	0		-
P39	09/05/2006	09:00	1.2	11.1	8.7	79.0	-0.2	102	0		-
P4	09/05/2006	09:51	0.0	0.0	20.3	79.7	0.0	86	0		-
P5	09/05/2006	09:53	0.0	0.0	20.3	79.7	0.0	90	0		-
P6	09/05/2006	09:54	0.0	0.0	20.3	79.7	0.0	88	0		-
P7	09/05/2006	09:55	0.0	0.0	20.3	79.7	-0.1	90	0		-
W1	09/13/2006	15:22	14.2	22.7	0.0	63.1	0.0	0	0		-
W10	09/13/2006	14:11	4.0	14.9	5.2	75.9	-1.9	0	0		-
W11	09/13/2006	14:02	20.5	23.0	0.6	55.9	-1.5	0	0		-
W12	09/13/2006	13:53	24.0	26.0	0.0	50.0	-1.8	0	0		-
W13	09/13/2006	13:43	14.5	23.1	0.0	62.4	-0.1	0	0		-

Hewitt Pit Well Data - 9/01/2006 through 9/30/2006

Name	Date	Time	Methane (% by vol)	Carbon Dioxide (% by vol)	Oxygen (% by vol)	Balance Gas (% by vol)	Static Press (Inch H2O)	Temp (Deg F)	Flow (scfm)	System Press (Inch H2O)	Comments
W14	09/13/2006	13:35	36.6	29.8	0.0	33.6	-0.7	0	0		-
W15	09/13/2006	15:36	7.8	19.4	2.4	70.4	-1.0	0	0		-
W16	09/05/2006	08:34	41.0	34.0	0.0	25.0	-2.6	88	0		-
W17	09/05/2006	08:35	16.9	25.7	1.0	56.4	-2.1	86	0		-
W18	09/05/2006	08:38	16.7	24.9	0.0	58.4	-0.6	88	0		-
W2	09/13/2006	15:18	23.0	25.3	0.0	51.7	0.0	0	0		-
W20	09/05/2006	08:24	18.9	26.3	0.0	54.8	-1.0	88	0		-
W21	09/05/2006	08:26	30.8	31.5	0.3	37.4	-2.0	90	0		-
W23	09/05/2006	08:01	27.1	29.6	0.1	43.2	-2.5	80	0		-
W24	09/05/2006	08:28	31.4	32.1	0.0	36.5	-13.3	88	0		-
W25	09/05/2006	08:30	51.4	39.9	0.0	8.7	-14.3	90	0		-
W26	09/05/2006	08:57	25.4	31.1	0.1	43.4	-1.8	86	0		-
W27	09/05/2006	08:03	38.5	31.6	2.8	27.1	-6.7	92	0		-
W28	09/05/2006	07:51	16.0	24.2	1.4	58.4	-9.0	92	0		-
W28A	09/05/2006	08:19	21.9	28.1	0.1	49.9	-3.1	102	0		-
W28B	09/05/2006	08:21	8.1	23.3	0.1	68.5	-0.8	90	0		-
W29	09/05/2006	07:45	36.5	33.6	0.0	29.9	-2.1	84	0		-
W29A	09/05/2006	07:43	33.2	30.3	3.2	33.3	-6.0	82	0		-
W3	09/13/2006	15:06	36.2	29.6	0.0	34.2	0.0	0	0		-
W30	09/05/2006	08:14	11.3	19.5	5.1	64.1	-8.5	78	0		-
W31	09/05/2006	08:15	55.9	39.2	0.0	4.9	-15.3	90	0		-
W32	09/05/2006	08:16	22.2	27.6	0.0	50.2	-7.2	86	0		-
W36	09/05/2006	08:51	42.6	34.8	0.8	21.8	-14.3	94	0		-
W37	09/05/2006	08:52	36.1	31.7	0.5	31.7	-13.9	90	0		-
W37A	09/05/2006	08:47	16.8	26.8	0.0	56.4	-0.5	90	0		-
W38	09/05/2006	07:34	35.9	34.4	0.1	29.6	-2.9	88	0		-
W38A	09/05/2006	07:36	23.6	23.8	6.1	46.5	-6.7	86	0		-
W4	09/13/2006	14:57	21.6	22.9	16.4	39.1	-0.1	0	0		-
W5	09/13/2006	14:52	34.7	28.5	0.0	36.8	-0.1	0	0		-
W6	09/13/2006	14:37	26.0	26.8	0.0	47.2	-0.2	0	0		-
W7	09/13/2006	14:29	33.1	29.3	0.0	37.6	-0.5	0	0		-
W8	09/13/2006	14:25	45.6	30.9	0.0	23.5	-0.7	0	0		-
W9	09/13/2006	14:18	23.6	25.0	0.0	51.4	-0.6	0	0		-
Most recent value for remaining GEM IDs at site not monitored during reporting period.											


CALMAT SELF STORAGE
PROPERTY
7361 LAUREL CANYON BLVD.
NORTH HOLLYWOOD, CA
NOTES:
1. MONITORING PROBES RANGE IN DEPTH FROM 5 FT. TO 90 FT. DEEP.
2. WELLS RANGE IN DEPTH FROM 25 FT. TO 60 FT. DEEP.
LEGEND
FENCE
GATE
HYDRANT
ABOVE GROUND PIPE
UNDERGROUND PIPE
VALVE
WELL
PERIMETER WELL
MONITORING PROBE
SAMPLE POINT
VACANT LAND
FUTURE WELLS
MOBILE HOME
OFFICE
MANAGER'S RESIDENCE
CALMAT RV STORAGE
CALMAT M.I.P. STORAGE
LAUREL CANYON BLVD.
WATER WELL
DESMOND
DESMOND
IAA
HOLLYWOOD FWY
ROADWAY
FLARE STATION
SOUTHERN PACIFIC
OFFICE 1
INSURANCE OFFICE
OFFICE 2
DRY WELL
CALMAT PROPERTIES CO.
LOCATION NO. HOLLYWOOD, CA.
0 INITIAL ISSUE
1 REVISED FENCE & HEADER
2 REVISED FENCE & HEADER
REFERENCE DRAWINGS
NO. DATE REVISION DESCRIPTION
CSG
HEWITT SITE
WELL LOCATION PLAN
7901-0-100
2